





Screen size 14"



1080

FULL HC

10 Point touch

Full High Definition



16.7 Million colours

Touchscreen control

The Verbatim Portable Touchscreen Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The responsive and intuitive touch screen with 10-point touch functionality supports swipe, scroll, drag, and pinch gestures to help you get your tasks done efficiently. It's the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.



Product dimensions WxHxD (mm)	328 02 ~ 200 05	x 6/12mm (Min/Max)		
Material	328.92 x 209.05 x 6/12mm (Min/Max)			
Material	Panel: a-Si TFT-LCD / Capacitive touch panel; Monitor casing: Aluminium; Sleeve: Neoprene			
Colour	Black	Product weight (grams) approx	860	
Tilt	0° to 85° tilt	Pivot	NA	
VESA mounting	NA	Kensington lock	NA	
Swivel	NA	Portrait mode	NA	
Display				
Panel type	10-point multi-touch with G+FF technology, IPS technology			
Display size	14" LED-Backlight			
Brightness (typical)	220-250 cd/m2 (typical)			
NTSC	45% NSTC			
Contrast (typical)	1000:1 (typical)			
Active area (mm)	309.31 × 173.99 mm (H×V)			
Pixel pitch (mm)	0.1611 × 0.1611 mm (H×V) [157PPI]			
Resolution (H x V)	1920 x 1080			
Aspect ratio	16:9			
Response time (typical)	Response time (typical GTG): 6ms Response time (typical Tr+Tf): 11+9 ms Response time (BtW): 10 ms			
View angles LR,DU (CR>10)	H 178°/ V 178°(Min)			
Panel surface	glare (AF=Anti-Fingerprint)			
Display colours	16.7M colours			
PC Input Range				
Vertical frequency	30 to 60Hz			
Maximum display frequency	1920 x 1080 / 60Hz (Resolution H*V/Fv)			
I/O Ports	1720 x 10007 00			
Input 1	2 x LISB_C (Full-	Castured LISB-C)		
Input 2	2 x USB-C (Full-featured USB-C) 1 x Standard HDMI (1.4)			
Input 3	1 x Standard HDMI (1.4) 1 x USB-A 2.0			
Earphone	1 x 0SB-A 2.0 1 x 3.5 mm Audio jack			
Speaker (typical)	$2 \times 1W (8\Omega)$			
Power	2 X 1 W (032)			
Consumption (typical)	$O_{n} < 12W$ Stan	dby≤0.5W, Off≤0.5W		
PD power		-		
Power mode indicator light		PD 5V3A 9V3A 12V3A 15V3A 20V 3.25A		
Battery	N/A	Power on: BLUE (LED) / Power saving: RED (LED)		
Controls				
	Power & Mary			
Physical controls		outton; Up button (+), Down button (-) + To		
On screen display	Picture adjust, Colour adjust, Mode adjust, Other settings (Signal source selection, FreeSync, Reset), Exit Menu			
Colour temperature		SRGB / User Mode (default 7500K)		
Preset mode	Standard, Game, Movie, Photo, Scenery, HDR Auto, DCR			



Touch				
Touch screen	Capacitive touch panel			
Multi touch	10 Points			
Touch panel	G+FF			
Other Features				
Stand	Built-in kickstand, Tilt: from 0° up to 85°			
Supported technology	IPS; HDR; FreeSync; Low blue light			
EU energy class	A			
Storage and Operating Conditions				
Storage temperature	-20°C to 60°C			
Operating temperature	0°C to 40°C			
Operating humidity	20% to 85% RH non-condensing			

PN	Description	Bar Code	EAN128 Code	EAN14 Code
49591	Verbatim PMT-14 Portable Touchscreen Monitor 14" Full HD 1080p Metal Housing	023942495918	(02)00023942495918(37)05(91)491	50023942495913

Logistic Information	
Pack dimensions LxWxH	254.5 x 425.6 x 57.5 mm
Pack weight	2 050 g
Pcs per pack	1
Outer cartons dimensions LxWxH	445 x 310 x 278 mm
Outer cartons weight	11 050 g
Pcs per outer carton	5
Outer carton per layer	9
Layers per pallet	5
Pcs per pallet	225

Pack Contents:

- Verbatim PMT-14 Portable Monitor 14" Full HD 1080p Metal Housing
- USB-C to USB-C cable-1.0m
- HDMI-HDMI cable-1.5m
- USB-A to USB-C cable-1.2m
- EU power supply with UK adapter (5V 3A)
- Neoprene protection leeve
- Quick start guide

System Requirements

- Interface: HDMI (power supply required, included) USB-C
- OS Compatibility: Android OS, Windows 11/10/8 Mac OS, iOS (adapter required for Lightning devices, not included)

Warranty

• 2 Year limited warranty







Angled



Back angled



Packaging 3D



Lifestyle 2



Lifestyle 4

