

Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: MX-27GTYA
1 2 Relevant identified uses of t	he substance or mixture and uses advised against
1.2 Relevant Identified uses of t	The substance of mixture and uses advised against
Use of the Substance/Mixture	: Reprographic agents (Toner)
1.3 Details of the supplier of the	safaty data shoot
1.5 Details of the supplier of the	salely uala sileel
Company	: SHARP Manufacturing France S.A.
	Route de Bollwiller, 68360 Soultz, Haut Rhin, France
Telephone	: +49 40 2376-0
E-mail address of person	: compliance@sharp.eu
responsible for the SDS	

1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: None
Signal word	: None
Hazard statements	: None
Precautionary statements	: None

2.3 Other hazards

Potential dust explosion hazard.



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical Name			Classification	Concentration
	CAS-No.	EC-No.	(REGULATION	(%)
			(EC) No1272/2008)	
Polyester resin	Confidential	Confidential	Not classified	80-90
Styrene-Acrylate copolymer	Confidential	Confidential	Not classified	1-5
Organic pigment	Confidential	Confidential	Not classified	1-5
Paraffin waxes and Hydrocarbon	8002-74-2	232-315-6	Not classified	1-5
waxes	0002-74-2	232-315-0		
Silicon dioxide	7631-86-9	231-545-4	Not classified	1-5
Wax	Confidential	Confidential	Not classified	1-5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. Protection of first-aiders First Aid responders should pay attention to self-protection, : and use the recommended personal protective equipment when the potential for exposure exists. If inhaled If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. In case of skin contact : Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : If in eyes, rinse well with water. Get medical attention if irritation develops and persists. : If swallowed, Get medical attention. If swallowed Rinse mouth thoroughly with water. 4.2 Most important symptoms and effects, both acute and delayed Risks : Dust contact with the eyes can lead to mechanical irritation. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically and supportively.

2/9



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Dry chemical
		Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from the subs	star	nce or mixture
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire.
		Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
		Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighte	ers:	In the event of fire, wear self-contained breathing apparatus.
		Use personal protective equipment.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local
		circumstances and the surrounding environment.
		Use water spray to cool unopened containers.
		Remove undamaged containers from fire area if it is safe to
		do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective e	equipment and emergency procedures	
Personal precautions	: Use personal protective equipment.	
	Follow safe handling advice and personal protective	
	equipment recommendations.	
6.2 Environmental precautions		
Environmental precautions :	: Discharge into the environment must be avoided.	
	Prevent further leakage or spillage if it is safe to do so.	
	Retain and dispose of contaminated water.	
	Local authorities should be advised if significant spillages	
	cannot be contained.	
6.3 Methods and material for containment and cleaning up		
Methods for cleaning up	: Sweep up or vacuum up spillage and collect in suitable	
	container for disposal.	
	container for disposal.	

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

7.1 Precautions for safe handling	
Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding
	and bonding, or inert atmospheres.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety
	practice. Keep container tightly closed.
	Minimize dust generation and accumulation.
	Keep away from heat and sources of ignition.
	Take care to prevent spills, waste and minimize release to the
	environment.
Hygiene measures	: When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulations
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Paraffin waxes and	8002-74-2	TWA (Fumes)	2 mg/m3	GB EH40
Hydrocarbon waxes	0002742	STEL (Fumes)	6 mg/m3	GB EH40
Silicon dioxide 7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40	
Silicon dioxide	7031-00-9	TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Personal protective equipment

Eye protection	: Not required under intended use	
Hand protection	: Not required under intended use	
Skin and body protection	: Not required under intended use	
Respiratory protection	: Not required under intended use	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c	chem	ical properties
Appearance	:	Powder
Colour	:	Yellow
Odour	:	Odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	ca. 1,2 g/cm3
Bulk density	:	ca. 0,4 g/cm3
Solubility(ies)		
Water solubility	:	Negligible



UAI E		DATA S	Revision Date : 1.November 20
			Date of first issue : 1.October 2008
			SDS Number : F-01398
Partition coefficient: noctanol/water	:	Not applicable	
Auto-ignition temperature	:	No data availa	ble
Decomposition temperature	:	No data availa	ble
Viscosity	:	Not applicable	
Explosive properties	:	Not explosive	
Oxidizing properties	:	The substance	e or mixture is not classified as oxidizing.
9.2 Other information			
No data available			
SECTION 10: Stability and reactivit	у		
10.1 Reactivity			
Not classified as a reactivity hazard.			
10.2 Chemical stability			
Stable under normal conditions.			
10.3 Possibility of hazardous reactions	5		
Hazardous reactions	:	Dust can form	an explosive mixture in the air.
		Can react with	strong oxidizing agents.
10.4 Conditions to avoid			
Conditions to avoid	:	None known.	
10.5 Incompatible materials			
Materials to avoid	:	Oxidizing ager	nts
10.6 Hazardous decomposition produc	ts		

No hazardous decomposition products are known.

11.1 Information on toxicological eff	ects	
Information on likely routes of expos	sure :	Inhalation
		Skin contact
		Ingestion
		Eye contact
Acute toxicity		
Acute oral toxicity	:	LD50 : > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 : > 5,0 mg/l
Skin corrosion/irritation		
No skin irritation		
Serious eye damage/eye irritation		
No eye irritation		



Revision Date	: 1.November 2018
Date of first issue	: 1.October 2005
SDS Number	: F-01398

Respiratory or skin sensitisation

No sensitization

Germ cell mutagenicity

AMES

: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Not relevant

SECTION 12: Ecological information

12.1 Toxicity

-	
Toxicity to fish	: LC50: > 100 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic	: EC50: > 100 mg/l
invertebrates	Exposure time: 48 h
Toxicity to algae	: EC50: > 100 mg/l
	Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Dispose of it in accordance with local regulations.
	According to the European Waste Catalogue, Waste Codes
	are not product specific, but application specific.
	Waste codes should be assigned by the user, preferably in
	discussion with the waste disposal authorities.
Contaminated packaging :	: Dispose of it as an unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

SECTION 14: Transport information

•				
14.1 UN number	:	None		
14.2 UN proper shipping name	:	None		
14.3 Transport hazard class(es)	:	None		
14.4 Packing group	:	None		
14.5 Environmental hazards	:	None		
14.6 Special precautions for user	:	Not applicable		
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code				
Remarks	:	Not applicable for product as supplied.		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture						
Regulation (EC) No 649/2012 of the European Parliament	: Not applicable					
and the Council concerning the export and import of						
dangerous chemicals						
REACH - Candidate List of Substances of Very High	: Not applicable					
Concern for Authorisation (Article 59).						
Regulation (EC) No 1005/2009 on substances that deplete	: Not applicable					
the ozone layer						
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable					
15.2 Chemical Safety Assessment						
A Chamical Cafety Assessment has not been serviced out						

A Chemical Safety Assessment has not been carried out.



Revision Date : 1.November 2018 Date of first issue : 1.October 2005 SDS Number : F-01398

SECTION 16: Other information		
Full text of other abbreviations		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
Further information		
Sources of key data used to compile	:	Internal technical data, data from raw material SDSs, OECD
the Safety Data Sheet		eChem Portal search results and European Chemicals

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Agency, http://echa.europa.eu/